

INDEX

to

CLEVELAND CLINIC QUARTERLY

Volume 12 — 1945

A

- Abdomen, wounds of, 49
- Acromegaly of hyperthyroidism, 14
- Actinomycosis, treatment, penicillin, 32
- Adrenals, fibrosarcoma of, 60
- Amenorrhea, primary, 84
- Ammonium oxalate, as anticoagulant in sedimentation rate determination, 128
- Ancona, V. C., and Schneider, R. W.: Hyperinsulinism with functional hypoglycemia, 34
- Appendicitis, ruptured, penicillin for, 81
- Arteriosclerosis treated with dicoumarin, 68
- Asthma, bronchial adenoma causing, 74
- Atelectasis, bronchial adenoma causing, 74
- Azochloramid, irrigation of wounds, 54
- used with sulfonamides, 52

B

- Bacillus: coli, in peritonitis, 82
- coli, in wounds, 49, 50, 51
- coli, penicillin-sensitive, 52
- pyocyaneus, 49
- pyocyaneus, response to chemotherapy, 54
- Beck, R. H., and McCullagh, E. P.: Premenarchal climacteric, 84
- Blastomycosis cutis, 20
- Blood: coagulation and prothrombin, dicoumarin effect, 68
- proteins, hypoproteinemia in edema, 119
- sugar, functional hypoglycemia and hyperinsulinism, 39
- sulfanilamide concentration, 52
- supply, interference, in wounds, 57
- Blood pressure: high, cold pressure test, 106
- high, biopsy of kidneys in, 110
- high, from pheochromocytoma, 111
- high, lumbodorsal, splanchnicectomy for, 107
- low, after lumbodorsal splanchnicectomy, 107
- Bromine, color test for, 27
- Brominism, chloride deficiency in, 26
- Bromoderma, nodular papillomatous, 19
- Bronchiectasis, in bronchial adenoma, 74
- Bronchoscopy, in treatment of bronchial adenoma, 74
- Bronchus, adenoma of, 73
- electrocoagulation in treatment, 74
- Brownell, T. S., and Jones, T. E.: Treatment of actinomycosis with penicillin, 32
- Brownell, T. S., and Renshaw, R. J. F.: Carcinoma complicating ulcerative colitis, 123
- Burns, sulfonamide absorption in, 52

C

- Cancer: (See organ affected)
- distinguished from bromoderma, 20
- complicating ulcerative colitis, 123
- Celiac syndrome: See Pancreas, cystic fibrosis
- Climacteric: See Menopause
- Cold pressure test: See Blood pressure, high
- Cardiac: See Heart
- Christoferson, L. A., and Lower, W. E.: Prolapse in leukemia, 133
- Collins, E. N., Kiskaddon, R. M., and Renshaw, R. J. F.: Cystic fibrosis of the pancreas, 92
- Corcoran, A. C.: Edema I, 117
- Crile, George, Jr.: Massive doses of penicillin in the treatment of peritonitis, 81
- Crile, George, Jr.: Treatment of wounds, 48

D

- Dermatitis vegetans, distinguished from bromoderma, 20
- Diabetes mellitus with hyperthyroidism, 6, 6, 11
- Dicoumarin, effect on prothrombin and coagulation times of blood, 68
- Diethylstilbestrol treatment, premenarchal climacteric, 91
- Diggs, L. W.: Modification in the Rourke-Ernstene sedimentation rate method, 127
- Dinsmore, R. S., McCullagh, E. P., and Keller, Florence: Thiouracil in treatment of complicated hyperthyroidism, 3
- Dinsmore, R. S., and Zidd, E.: Parathyroid adenoma treated with x-ray and surgery, 16
- Diverticulitis of sigmoid causing peritonitis, 82
- Drainage, treatment of wounds, 54, 56
- Dressings, pressure, in wounds, 50, 54, 58

E

- Edema, 117
- hypoproteinemia in, 119
- in congestive cardiac failure, 119
- with hyperthyroidism, 6
- Elephantiasis, 119
- Embolism, pulmonary, treated with dicoumarin, 68
- Endocarditis, treated with dicoumarin, 68
- Epilepsy, 47
- Estrogens, treatment of premenarchal climacteric, 85
- Ethinyl estradiol, treatment of premenarchal climacteric, 91
- Ethyl hexane, treatment of premenarchal climacteric, 91

INDEX

F

- Face, partial gigantism of, with neurologic complications, 43
- Fertility and hypoglycemia, 40
- Fibrosarcoma of adrenal, 60
- Fluids, body, in edema, 117
- Foreign bodies, metallic and nonmetallic, 49
- reaction in wounds, 55
- removal of knife blade from spinal canal, 65

G

- Gardner, W. J.: Removal of broken knife blade from spinal canal, 65
- Gardner, W. J., and Karnosh, L. J.: Partial gigantism of the face with neurologic complications, 43
- Gigantism, partial, of the face with neurologic complications, 43
- Goiter, distinguished from hygroma, 100
- with hyperthyroidism, 5, 11, 14
- Gonadotrophins in premenarchal climacteric, 85

H

- Harris, H. E.: Adenoma of the bronchus, 73
- Heart, insufficiency, edema in, 119
- Heat, moist, for infections, 55
- Hematuria after dicoumarin, 69, 70
- Hemoptysis in bronchial adenoma, 73
- Heparin, compared with dicoumarin, 71
- as anticoagulant in sedimentation rate determination, 127, 130
- Higgins, C. C.: Retroperitoneal tumor, fibrosarcoma of the adrenal, 60
- Hodgkin's disease, distinguished from hygroma, 100
- Hygroma, cystic, 98
- Hyperinsulinism and functional hypoglycemia, 34
- Hypernatremia and edema, 120
- Hypertension: See Blood pressure, high
- Hyperthyroidism treated with thiouracil, 3
- Hypoglycemia, functional, and hyperinsulinism, 34
- Hypotension: See Blood pressure, low
- Hydroxyphenyl hexane in premenarchal climacteria, 91

I

- Infection, prevention in wounds, 50
- treatment in wounds, 51
- Iodine, in hyperthyroidism, 3, 5, 7
- rash, 10

J

- Jones, T. E., and Brownell, T. S.: Treatment of actinomycosis with penicillin, 32

K

- Karnosh, L. J., and Gardner, W. J.: Partial gigantism of the face with neurologic complications, 43

- Keller, F., McCullagh, E. P., and Dinsmore, R. S.: Thiouracil in the treatment of complicated hyperthyroidism, 3
- Kidney disease, contraindication for dicoumarin, 70
- Kiskaddon, R. M., Collins, E. N., and Renshaw, R. J. F.: Cystic fibrosis of the pancreas, 92

L

- Laryngotracheobronchitis in bronchial adenoma, 74
- LeFevre, F. A.: The effect of 3,3'-methylene-bis-(4-hydroxycoumarin) (dicumarol) on prothrombin and coagulation times of blood, 68
- Leukemia, lymphogenous, distinguished from hygroma, 100
- priapism in, 133
- Leukopenia in hyperthyroidism, 6
- pyridoxine in treatment of, 3
- Lipocaiic in cystic fibrosis of the pancreas, 97
- Lipoma, distinguished from hygroma, 100
- Liver disease, contraindication for dicoumarin, 70
- Lung: surgery, lobectomy in bronchial adenoma, 75
- Lower, W. E., and Christoferson, L. A.: Priapism in leukemia, 133
- Lumbodorsal splanchnicectomy, effect of, 109
- for hypertension, 107
- mortality in, 108
- postural hypotension after, 107
- Lymphadenitis, distinguished from hygroma, 100
- Lymphangioma, cavernous, 98
- Lymphomas, distinguished from hygroma, 100

M

- McCullagh, E. P., and Beck, R. H.: Premenarchal climacteric, 84
- McCullagh, E. P., Dinsmore, R. S., and Keller, F.: Thiouracil in the treatment of complicated hyperthyroidism, 3
- McDonald, R. H.: Parietal neuralgia, 28
- Menopause: premenarchal climacteric, 84

N

- Nail changes in hypoglycemia, 40
- Nervous system, involvement of, with gigantism of the face, 43
- Netherton, E. W.: Nodular papillomatous bromoderma, 19
- Neuralgia, parietal, 28
- Nevus, 47
- Nutrition in functional hypoglycemia, 39

O

- Ovary: deficiency in primary amenorrhea, 84
- function and hypoglycemia, 40

P

- Pain of parietal origin, 28
- Pancreas, cystic fibrosis of, 82
 - distinguished from celiac syndrome, 94
 - histology of, 93
 - islet cell adenoma of, 34
- Pancreatin in cystic fibrosis of pancreas, 97
- Pancreatitis, 94
- Paralysis, facial, 47
- Parathyroid, adenoma of, treated with x-ray and surgery, 16
- Penicillin, effect on fever, 83
 - resistant to organisms, 82
 - treatment of actinomycosis, 32
 - treatment of peritonitis, 81, 82
 - treatment of staphylococcal infections, 81
 - treatment of wounds, 50, 52
- Periarteritis complicating hyperthyroidism, 10
- Peritonitis treated with penicillin, 81
 - treated with sulfonamides, 81
- Pheochromocytoma as cause of hypertension, 111
- Pneumonecctomy in bronchial adenoma, 75
- Pneumonia in bronchial adenoma, 74
- Portmann, U. V.: Cystic hygroma, 98
- Potassium oxalate as anticoagulant in sedimentation rate determination, 128
- Priapism in leukemia, 133
- Pyridoxine, treatment of leukopenia, 3

R

- Renshaw, R. J. F., and Brownell, T. S.: Carcinoma complicating ulcerative colitis, 123
- Renshaw, R. J. F., Kiskaddon, R. M., and Collins, E. N.: Cystic fibrosis of the pancreas, 92
- Rest, in treatment of infection, 58
- Roentgen rays, diagnosing lesions of spinal cord, 67
 - in treatment of parathyroid adenoma, 16
 - therapy in priapism, 133
- Rourke-Ernstene sedimentation rate method, modifications in, 127

S

- Schneider, R. W., and Ancona, V. C.: Hyperinsulinism and functional hypoglycemia, 34
- Sedimentation rate, modification of Rourke-Ernstene method, 127
- Shock, after administration of saline solution in bromoderma, 27
- Sigmoid, carcinoma of, 82
- Smithwick, R. H.: Experiences with the surgical treatment of hypertensive cardiovascular disease in man, 105
- Sodium chloride, administration in bromoderma, 21, 27
- Sodium retention in edema, 120
- Spinal canal, removal of knife blade from, 65
- Spinal cord, diagnosis of lesions of, 67
- Staphylococcus, hemolytic, sensitivity to penicillin, 52
 - infections in wounds, 48, 49

- Steatorrhea, congenital family, 94
- Stilbestrol: See Diethylstilbestrol
- Streptococcus, infection in wounds, 49
 - penicillin action on, 52, 81
- Sulfanilamide, blood level, 52
 - powder in irrigation of wounds, 54
- Sulfonamides, absorption in burns, 52
 - and azochloramid, 52
 - in treatment of peritonitis, 81
 - in treatment of wounds, 50, 51, 52
- Surgery, plastic, in partial gigantism of the face, 47
- Sutures in wounds, 56

T

- Teeth in facial hypertrophy, 43
- Thiobarbital in hyperthyroidism, 3, 10
- Thiouracil treatment of complicated hyperthyroidism, 3
- Thromboangiitis obliterans, treated with dicoumarin, 68
- Thrombophlebitis, treated with dicoumarin, 68
- Thrombosis of retinal artery, vein, treated with dicoumarin, 68
 - of retinal vein, treated with dicoumarin, 68
- Thyroid, aberrant tissue, 100
- Thyoma, distinguished from hygroma, 100
- Trachea, cleft cysts, distinguished from hygroma, 100
- Tumor, adrenal, 60
 - of bronchus, 73
 - pelvic with hyperthyroidism, 11
 - retroperitoneal, 60

U

- Ulcerative colitis, carcinoma complicating, 123
- Urinary 17-ketosteroids in premenarchal climacteric, 85

V

- Vaginal smear in premenarchal climacteric, 84
- Verrucosis cutis, 20
- Vitamins: A deficiency in cystic fibrosis of the pancreas, 94
 - C in wound healing, 58
 - K deficiency and use of dicoumarin, 70

W

- Wounds, immobilization of, 50, 51
 - treatment of, 48

X

- X-ray: See Roentgen rays

Z

- Zidd, E., and Dinsmore, R. S.: Parathyroid adenoma treated with x-ray and surgery, 16